UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/510,848	10/13/2004	Kiichi Meguro	50389-053	3835	
20277 MCDERMOT	7590 12/27/2006 Γ WILL & EMERY LLP		EXAMINER		
600 13TH STR	LEET, N.W.		KUNEMUND, ROBERT M		
WASHINGTON, DC 20005-3096			ART UNIT	PAPER NUMBER	
			1722		
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVER	DELIVERY MODE	
3 MO	NTHS	12/27/2006	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
	10/510,848	MEGURO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Robert M. Kunemund	1722				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATIO 36(a). In no event, however, may a reply be till apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE.	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
·	· /					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
·	-x parte quayre, 1000 0.D. 11, 4	00 0.0. 210.				
Disposition of Claims						
 4) Claim(s) 1-28 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1-28 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o 	wn from consideration.	• •				
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Example 11.	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). njected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document: 2. Certified copies of the priority document: 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicat rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892) Description Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10-04.	5) Notice of Informal F 6) Other:					

Application/Control Number: 10/510,848

Art Unit: 1722

DETAILED ACTION

Claims 5 to 8, 10, 11, 15 to 20 and 25 to 28 are objected to under 37 CFR 1.75(c) as being in improper form because a multiple dependent claim cannot depend on another multi dependent claim. See MPEP § 608.01(n). Accordingly, the claims 5 to 8, 10, 11, 15 to 20 and 25 to 28 not been further treated on the merits.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1, 12, 13 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plano et al ((5,803,967) in view of Takahiro (jp 03-075298).

The Plano et al reference teaches a method of growing and a diamond structure note entire reference. On a substrate, a layer of diamond nucleation sites is prepared.

Art Unit: 1722

The sites are orientated the same for the vapor growth, note figures. Then a layer of polycrystalline diamond is grown on the nucleation sites. The nucleation sites can be diamond, note examples. The orientation is (100) or (111) of the polycrystalline layer and nucleation sites. The sole difference between the instant claims and the prior art is nucleation sites being single crystal diamonds placed next to each other. However, the Takahiro reference teaches that large single crystal diamonds can be placed together to create a base for diamond growth, note translated abs. It would have been obvious to one of ordinary skill in the art to modify the Plano et al reference by the teachings of the Takahiro reference to use single crystal diamond base in order to ensure that the grown vapor layer of diamond has uniform orientation.

Claims 2 to 11, 14 to 20 and 22 to 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Plano et al ((5,803,967) in view of Takahiro (jp 03-075298).

The Plano et al and Takahiro reference are relied on for the same reasons as stated, supra, and differ form the instant claims in the dimensions of the layers and orientations. However, in the absence of unexpected results, it would have been obvious to one of ordinary skill in the art to determine through routine experimentation the optimum, operable dimensions and orientations in the combined references in order to create a uniform layer of diamond improving the properties.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert M. Kunemund whose telephone number is 571-272-1464. The examiner can normally be reached on 8 hours.

Art Unit: 1722

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yogendra Gupta can be reached on 571-272-1312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert M Kunemund Primary Examiner Art Unit 1722

RMK